


Transient Discriminating Surge Diverter, 50 kA TT System – TDS350TT277 (702418)



- TD Technology with thermal disconnect protection
- Compact design fits into DIN distribution panel boards and motor control centers
- Indication flags and voltage-free contacts provide remote status monitoring
- Separate plug and base design facilitates replacement of a failed surge module
- 50kA 8/20 μ s maximum surge rating provides protection suitable for sub-distribution panels and a long operational life



Part Number	TDS350TT277
Article Number	702418
Nominal System Voltage (Un)	240 - 277 VAC
Max Continuous Operating Voltage (Uc)	320/536 VAC
Stand-off Voltage	480/813 VAC
Voltage Protection Rating (VPR)	1,000.0 V @ 3 kA 1,600.0 V @ 20 kA
Nominal Discharge Current (In)	20 kA 8/20 μ s
Max Discharge Current (Imax)	50.0 kA 8/20 μ s 12.5 kA 10/350 μ s N-PE
Back-Up Overcurrent Protection	125 A
Short Circuit Current Rating (SCCR)	200 kA
Frequency	0 – 100 Hz
Protection Modes	L-N N-PE
Response Time	5 ns Max
Technology	TD technology with thermal disconnect
Connection, Solid	35 mm ² Max
Connection, Stranded	25 mm ² Max
Mounting	35 mm top hat DIN rail
Enclosure Material	UL [†] 94V-0 Thermoplastic
Enclosure Rating	IP 20 NEMA [®] -1
Remote Contacts	Yes
Status Indication	Mechanical flag

Part Number	TDS350TT277
Temperature	-40 to 80 °C
Module Width	4 M
Depth (D)	68 mm
Height (H)	90 mm
Width (W)	70 mm
Unit Weight	0.5 kg
Certification Details	UL [®] 1449 Edition 4 Type 4CA, 20 kA Mode
Complies With	ANSI [®] /IEEE [®] C62.41.2-2002 Cat A, Cat B, Cat C ANSI [®] /IEEE [®] C62.41.2-2002 Scenario II, Exposure 2, 50 kA 8/20 μ s IEC [®] 61643-1 Class II
Replacement Module	TDS150M277 SGD125M
Certifications	CE cURus
Standard Packaging Quantity	1 pc
UPC	78285658544
EAN-13	8711893046304

ANSI is a registered trademark of American National Standards Institute. IEC is a registered trademark of the International Electrotechnical Commission. IEEE is a registered trademark of The Institute of Electrical and Electronics Engineers, Inc. NEMA is a registered service mark of National Electrical Manufacturers Association. UL, UR, cUL, cUR, cULus and cURus are registered certification marks of UL LLC.

WARNING

Pentair products shall be installed and used only as indicated in Pentair's product instruction sheets and training materials. Instruction sheets are available at erico.pentair.com and from your Pentair customer service representative. Improper installation, misuse, misapplication or other failure to completely follow Pentair's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

© 2017 Pentair All rights reserved

Pentair, CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH and LENTON are owned by Pentair or its global affiliates.

All other trademarks are the property of their respective owners. Pentair reserves the right to change specifications without prior notice.